# **BMJ Open**

# Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Journal:	BMJ Open
Manuscript ID	bmjopen-2016-011145
Article Type:	Protocol
Date Submitted by the Author:	13-Jan-2016
Complete List of Authors:	Sholl, Sarah; University of Dundee, Centre for Medical Education; Edinburgh Napier University, School of Business Ajjawi, Rola; Deakin University, Centre for Research in Assessment and Digital Learning Allbutt, Helen; NHS Education for Scotland, Planning and Corporate Governance Butler, Jane; Health Education Kent, Surrey and Sussex Jindal-Snape, Divya; University of Dundee, School of Education and Social Work Morrison, Jill; University of Glasgow, General Practice & Primary Care Rees, Charlotte; Monash University, Faculty of Medicine, Nursing & Health Sciences
<b>Primary Subject Heading</b> :	Medical education and training
Secondary Subject Heading:	Health services research
Keywords:	MEDICAL EDUCATION & TRAINING, QUALITATIVE RESEARCH, PRIMARY CARE

SCHOLARONE™ Manuscripts Title:

Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Sarah Sholl<sup>1</sup>, Rola Ajjawi<sup>2</sup>, Helen Allbutt<sup>3</sup>, Jane Butler<sup>4</sup>, Divya Jindal-Snape<sup>5</sup>, Jill Morrison<sup>6</sup>, Charlotte Rees<sup>7</sup>

#### **Corresponding Author:**

Dr Sarah Sholl
Centre for Medical Education
University of Dundee
Mackenzie Building
Kirsty Semple Way
Dundee
DD2 4BF

Tel: +44 (0)1382 318984 Email: s.sholl@dundee.ac.uk

#### Author affiliations:

<sup>1</sup>Centre for Medical Education, University of Dundee, Dundee, UK

BMJ Open: first published as 10.1136/bmjopen-2016-011145 on 26 April 2016. Downloaded from http://bmjopen.bmj.com/ on June 1, 2025 at Department GEZ-LTA Erasmushogeschool .

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

Word count: 1994

<sup>&</sup>lt;sup>2</sup>Centre for Research in Assessment and Digital Learning, Deakin University, Geelong, Australia

<sup>&</sup>lt;sup>3</sup>Planning and Corporate Governance, NHS Education for Scotland, Edinburgh, UK

<sup>&</sup>lt;sup>4</sup>Health Education Kent, Surrey and Sussex, Crawley, UK

<sup>&</sup>lt;sup>5</sup>School of Education and Social Work, University of Dundee, Dundee, UK

<sup>&</sup>lt;sup>6</sup>Institute of Health and Wellbeing, College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow, UK

<sup>&</sup>lt;sup>7</sup>HealthPEER (Health Professions Education and Education Research), Faculty of Medicine, Nursing and Health Sciences, Monash University, Melbourne, Australia

#### **ABSTRACT**

#### Introduction

Dennis et al. recently conducted a national survey to explore medical education research priorities in Scotland. The identified themes and their underlying priority areas can be linked to current medical education drivers in the United Kingdom. The top priority area rated by stakeholders was: 'Understanding how to balance service and training conflicts'. Despite its perceived importance, a preliminary scoping exercise revealed the least activity with respect to published literature reviews. This protocol has therefore been developed to guide a body of work so as to understand how patient care, other service demands, and student/trainee learning can be simultaneously facilitated within the healthcare workplace.

#### **Methods and Analysis**

The review will identify key interventions designed to balance patient care and student/trainee learning, and try to understand how and why such interventions produce their effects. Our research questions seek to address the ways in which identified interventions enable balanced patient care-trainee learning within the healthcare workplace, for whom, why and under what circumstances. Pawson's five stages for undertaking a realist review underpin this protocol. We will: (1) clarify the scope of the review by identifying relevant interventions and existing programme theories, understanding how interventions act to produce their intended outcomes; (2) search for empirical evidence from 1998 (the introduction of the European Working Time Directive) on UK multidisciplinary team working concerning these interventions, theories and outcomes; (3) assess the quality of studies; (4) extract data; and (5) synthesise data, drawing conclusions.

#### **Ethics and Dissemination**

Formal ethical review is not required for this realist review. These findings should provide important understanding of how workplace-based interventions influence the balance of trainee learning and service provision. They should benefit various stakeholders involved in workplace-based learning interventions, and should continue to inform the research agenda for medical education in the United Kingdom.

#### **Strengths and Limitations**

- Realist synthesis allows a flexible approach and explanatory focus on situations in potentially complex environments. It enables the inclusion of a wide range of evidence sources. The variety of disciplinary backgrounds which the authors represent will contribute to the validity of the findings.
- The generation of inclusion criteria for assessment puts inevitable limits on the scope of data to be assessed and consequently the conclusions that will be drawn. Recommendations may not be generalisable.

#### INTRODUCTION

#### Medical education research priorities

In 2014, Dennis *et al.*[1] conducted a national survey in order to explore the priorities for medical education research in Scotland as perceived by a variety of stakeholders. The priority setting exercise identified twenty-one priority areas for Scottish medical education research, falling into five broad themes: (1) The culture of learning together in the workplace; (2) Enhancing and valuing the role of educators; (3) Curriculum integration and innovation; (4) Bridging the gap between assessment and feedback; (5) Building a resilient workforce.

These research themes and their underlying priority areas can be linked to current medical education drivers in the United Kingdom (e.g. *Tomorrow's Doctors*,[2] the *Shape of Training* review,[3] and *Promoting Excellence: standards for medical education and training*[4]). The reasons given by participants for prioritising items included patient safety, quality of care, investing in the future, policy/political agendas, and evidence-based education.[1]

A preliminary scoping exercise for literature reviews relevant to the identified priority areas was conducted between January and March 2015 using MEDLINE, EMBASE and Google Scholar. This elicited 157 reviews published from 1995 to 2014, 97% of which were characterised by their authors as 'systematic' or 'narrative'. Figure 1 shows the wide variation in literature review activity across the different priority areas.

The top priority area rated by stakeholders in Dennis et al.[1] was: 'Understanding how to balance service and training conflicts', concerning 'the pressures that exist or are perceived to exist between the delivery of service to patients and the provision of training.'[1] Despite it being rated as the top priority area, the preliminary literature search revealed the least activity with respect to already published literature reviews (see Figure 1).

#### <Insert figure 1 here>

#### Challenges of evaluating complex interventions in the workplace

The balance of service delivery and education operates within a complex environment. It is present in a variety of care contexts, it involves different stakeholders (e.g. members of multidisciplinary teams, patients, managers etc.), and the dynamic of the balance will vary between sites (e.g. different models of care in different regions) and at different times of the day, week, and year, depending on demand.[5] Interventions such as protected study time are dependent both on these variations and on the ways in which such interventions are implemented.[6] The factors affecting this balance are similarly complex and dynamic, although many of the factors themselves (such as protected learning time, workplace learning culture and capacity/capability) appear to be common across healthcare settings.[1,5]

Narrative reviews summarise a range of material in order to construct holistic conclusions informed by a combination of the research team's own experience and drawing on existing theories.[8] Robustly conducted narrative reviews can be useful depending on their intended purposes, but they are commonly criticised from a positivist perspective as being

vulnerable to bias.[7,9,10] Systematic reviews involve "empirical evidence that fits prespecified eligibility criteria in order to answer a specific research question".[11] They can be useful for assessing simple interventions, employing robust and replicable methods, and providing a comprehensive review of available peer-reviewed literature.[9,12,13] By focussing only on peer-reviewed literature, however, we risk missing out on potentially valuable information collected by other means such as grey literature. The scoping exercise mentioned previously has also indicated that much of the literature dealing with the balance of service and training conflicts appears to be embedded in papers with different primary foci, such as occupational stress or evaluation of clinical teaching.

A realist review would be suitable for more complex interventions such as those encountered in healthcare, affording us an explanatory focus and the ability to include a wide range of evidence sources (including primary qualitative and quantitative research, secondary research, and grey literature).[14] The realist approach described by Pawson *et al.* enables us to develop theories that consider the context-mechanism-outcome (C-M-O) approach [15], i.e. how these contexts mobilise resources through which interventions (such as protected time) work or do not work and their ability to promote the balance of service delivery and training. It is worth noting here that the C-M-O approach is not necessarily a linear one, even though it is ultimately expressed as such; for example, interventions may work in more than one way in a particular context, or a programme theory may be based on an existing outcome. Despite realist reviews not being able to cover every eventuality, they are able to shed light on complex situations and to provide contextual explanations, which are arguably more useful in a healthcare policy-making context.[15]

#### **Aim and Research Questions**

This study aims to understand how patient care and trainee learning can be simultaneously facilitated within the healthcare workplace. It will identify key complex interventions designed to balance patient care and trainee learning, and try to understand how and in what circumstances such interventions produce their effects. Our research questions therefore seek to address the ways in which identified interventions enable balanced patient care-trainee learning within the healthcare workplace, for whom, why and under what circumstances.

#### **METHODS AND ANALYSIS**

#### Study design

 Pawson *et al.*[15] describe five stages for undertaking a realist review, which have been used to underpin the design of this study. Since the review process is iterative, it may not necessarily follow this linear progression neatly:

1 – Clarify the scope of the review by identifying: a) relevant interventions; and b) existing programme theories, so as to understand how these interventions act to produce their intended outcomes. The scoping exercise mentioned above generated a number of possible search terms which could be used both to refine the purpose of the review and as the basis for formulating key theories, and may help to address the issue that much of the research in this area is embedded in other literature.[16-18] These search terms include: (1) protected study time; (2) workplace-based learning (or workplace learning); (3) workplace-based

assessment (or workplace assessment); (4) clinical learning environment; (5) clinical placement; (6) supervised learning events; (7) bedside teaching encounters; (8) continuing professional development; (9) barriers/facilitators to learning; (10) interprofessional/multiprofessional learning; (11) capacity and capability; (12) workforce planning; (13) cost effectiveness; (14) organisational need; (15) context-sensitive learning.

**2** – Search for empirical evidence concerning these interventions, theories and outcomes. Note that evidence may be supportive, contradictory, or may act to modify the theories identified in stage 1. It is anticipated that the search strategy will involve: (1) Searching for peer-reviewed literature using electronic databases e.g. Medline, CINAHL, Web of Science, Scopus; (2) Snowballing and citation tracking; (3) Grey literature searching (e.g. National Health Service/healthcare regulator reports and reviews, policy documents etc.)

Terminology will initially be refined using MeSH to ensure a systematic and comprehensive search of the literature. The authors have elected to start with Medline and to use the list of search terms arising from the initial scoping exercise in order to elicit the MeSH terms that will be used. A similar strategy will be employed for CINAHL, which uses a similar control language but with a different set of descriptors. The resulting list of search terms will then be used for those databases requiring a free text approach, such as Scopus and Web of Science.

Since all of the papers identified during the scoping exercise employed a UK-wide focus, and since many of the factors considered to influence the balance of service and education are common to all regions of the UK, the proposed review will be UK-wide. Whilst the findings may have relevance to other national health systems, studies involving them will be excluded from this review as different health systems may be influenced by different contextual factors such as healthcare funding and educational pathways.

Postgraduate education tends to be workplace-based and often involves interprofessional learning; therefore the proposed review will include multidisciplinary teams as well as individual learning, rather than being limited to doctors only, particularly since we are seeking to understand in which circumstances (i.e. for which 'populations') mechanisms are effective.[19-23] See Box 1 for a brief timeline of relevant NHS milestones, which allowed us to choose an appropriate timescale for the literature search.

#### Box 1. Timeline of relevant NHS milestones informing the literature search timeframe

1990	NHS & Community Care Act[24] – health authorities manage own budgets
1991	NHS Trusts established following NHS Community Care Act
1997	Scottish white paper: Designed to Care[25] – 47 Trusts become 28;
	integration of services; managed clinical networks
1998	European Working Time Directive (EWTD)[26] introduced for all except
	junior doctors
1999	NHS Scotland control handed over to Scottish Government
2002	NHS Education for Scotland established
2004	EWTD extended to cover junior doctors
	Abolition of NHS Trusts by NHS Reform (Scotland) Act[27]

2008	Lord Darzi report: Our NHS, Our Future[28]
	Scottish Patient Safety Programme
2009	GMC report: Tomorrow's Doctors[2]
2012	2020 Vision and Strategic Narrative[29]
2013	Greenaway report: Shape of Training[3]

Since 'time' was the most frequently cited influencing factor in the twenty-five studies found in the scoping exercise, it is proposed that the literature search be conducted from 1998, the introduction of the European Working Time Directive.

#### – Assess quality of studies

Relevant studies will be those that inform the development of the programme theory (i.e. how, why and in what circumstances an intervention works to bring about an outcome).[14,30] Initial assessment of relevance will be carried out by reviewing abstracts using preliminary inclusion/exclusion criteria. Any ambiguities at this stage will be checked by an additional researcher. Depending on the quantity of studies found, it is likely that a two-stage review process will be carried out; firstly to identify the main interventions that are relevant, and then to prioritise one or two interventions which will be the focus of the main study. Ten to twenty-five percent of the papers will also be double-checked and discussed by additional researchers, along with a number of papers previously excluded (for quality control purposes).[30] Assessment of rigour will follow the same process, this time employing a review of the whole paper. The application of inclusion/exclusion criteria will be an iterative process, as will be the testing and refinement of programme theories that are generated during this stage.

#### 4 - Extract data

Realist review data is characterised by annotation rather than list extraction.[14,30] Relevant data from documents will be highlighted and annotated using a combination of ATLAS.ti and Excel software, and a preliminary coding framework will be established by a team of researchers to facilitate data synthesis in the next stage. Discussion of the data between researchers allows continuation of the testing and refinement of programme theories at this stage.

#### – Synthesise data and draw conclusions

The purpose of the realist review should drive the process of synthesis.[15] Relevant annotated evidence is used to test each aspect of the programme theory (or theories). The process of synthesis includes the following considerations:[30] (1) Reconciling and consolidating contradictory evidence — evidence which does not support a theory can enable useful insights about its implementation;[14] (2) Consideration of the relative methodological strengths/weaknesses of evidence; (3) Findings of one study that may allow insights into another; (4) Maintenance of the context of evidence sources when drawing conclusions and presenting findings. See Box 2 for an understanding of how internal and external validity will be addressed.

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

#### Box 2. How internal and external validity will be addressed

Construct validity	- by using multiple sources of evidence (data triangulation)
Internal validity	- by pattern matching (relating several different pieces of
	information from the study to a theoretical concept)
External validity	- by employing theory in the study design and by testing
	empirical evidence against programme theory

#### DISSEMINATION

Results will be written up according to RAMESES publication standards[14] and disseminated via the Scottish Medical Education Research Consortium (http://www.smerc.org.uk) at conferences and in peer-reviewed journals, and to NHS Education for Scotland, Health Education England (in particular Postgraduate Deans), regulatory and professional bodies etc. These findings will provide important insights into how workplace-based interventions influence the balance of service delivery and education. They will benefit multiple stakeholders involved in developing, implementing and receiving workplace-based learning interventions, and will continue to inform the medical and health professions education research agenda for the UK.

#### **REFERENCES**

- 1. Dennis AA, Cleland JA, Johnston P, et al. Exploring stakeholders' views of medical education research priorities: a national survey. *Med Educ* 2014;48:1078-1091.
- 2. General Medical Council Education Committee. *Tomorrow's doctors*. General Medical Council. 2009
- 3. Greenaway D. *Shape of training review: securing the future of excellent patient care.*General Medical Council, 2013
- 4. General Medical Council. *Promoting excellence: standards for medical education and training*. General Medical Council, 2015
- 5. Cook DJ, Mulrow CD, Haynes RB. Systematic reviews: synthesis of best evidence for clinical decisions. *Ann Intern Med* 1997;126(5):376-380
- 6. NHS Education for Scotland. *Postgraduate Medical Education: annual report 2014*. NHS Education for Scotland, 2014
- 7. Robert E, Ridde V, Marchal B et al. Protocol: a realist review of user fee exemption policies for health services in Africa. *BMJ Open* 2012;2:e000706
- 8. Jones, K. Mission drift in qualitative research, or moving toward a systematic review of qualitative studies, moving back to a more systematic narrative review. *Qualitative Report*, 2004;9(1):95-112
- 9. Pluye P, Gagnon MP, Griffiths F et al. A scoring system for appraising mixed methods research, and concomitantly appraising qualitative, quantitative and mixed methods primary studies in Mixed Studies Reviews. *Int J Nurse Stud* 2009;46:529-546

2 3

4

5

6

7

8 9

10

11

12

13

14 15

16

17

18

19

20

21 22

23

24

25

26

27

28 29

30

31

32

33

34 35

36

37

38

39

40

41 42

43

44

45

46

47

48 49

50 51

52

53

54 55

56 57

58 59 60

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

This project is funded by NHS Education for Scotland via the Scottish Medical Education Research Consortium (SMERC).

#### **Competing interests:**

None declared

#### Legends:

Figure 1 – Literature reviews pertaining to each of the 21 priority areas identified in the priority-setting exercise by Dennis et al.[1] Note that some literature reviews are relevant to a priority area more than one priority area. (a) Vertical integration of undergraduate and postgraduate curricula

# **BMJ Open**

# Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Journal:	BMJ Open
Manuscript ID	bmjopen-2016-011145.R1
Article Type:	Protocol
Date Submitted by the Author:	07-Mar-2016
Complete List of Authors:	Sholl, Sarah; University of Dundee, Centre for Medical Education; Edinburgh Napier University, School of Business Ajjawi, Rola; Deakin University, Centre for Research in Assessment and Digital Learning Allbutt, Helen; NHS Education for Scotland, Planning and Corporate Governance Butler, Jane; Health Education Kent, Surrey and Sussex Jindal-Snape, Divya; University of Dundee, School of Education and Social Work Morrison, Jill; University of Glasgow, General Practice & Primary Care Rees, Charlotte; Monash University, Faculty of Medicine, Nursing & Health Sciences
<b>Primary Subject Heading</b> :	Medical education and training
Secondary Subject Heading:	Health services research
Keywords:	MEDICAL EDUCATION & TRAINING, QUALITATIVE RESEARCH, PRIMARY CARE

SCHOLARONE™ Manuscripts Title:

Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Sarah Sholl<sup>1</sup>, Rola Ajjawi<sup>2</sup>, Helen Allbutt<sup>3</sup>, Jane Butler<sup>4</sup>, Divya Jindal-Snape<sup>5</sup>, Jill Morrison<sup>6</sup>, Charlotte Rees<sup>7</sup>

#### **Corresponding Author:**

Dr Sarah Sholl
Centre for Medical Education
University of Dundee
Mackenzie Building
Kirsty Semple Way
Dundee
DD2 4BF

Tel: +44 (0)1382 318984 Email: s.sholl@dundee.ac.uk

#### **Author affiliations:**

<sup>1</sup>Centre for Medical Education, University of Dundee, Dundee, UK

BMJ Open: first published as 10.1136/bmjopen-2016-011145 on 26 April 2016. Downloaded from http://bmjopen.bmj.com/ on June 1, 2025 at Department GEZ-LTA Erasmushogeschool .

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

Word count: 2341

<sup>&</sup>lt;sup>2</sup>Centre for Research in Assessment and Digital Learning, Deakin University, Melbourne, Australia

<sup>&</sup>lt;sup>3</sup>Planning and Corporate Governance, NHS Education for Scotland, Edinburgh, UK

<sup>&</sup>lt;sup>4</sup>Health Education Kent, Surrey and Sussex, Crawley, UK

<sup>&</sup>lt;sup>5</sup>School of Education and Social Work, University of Dundee, Dundee, UK

<sup>&</sup>lt;sup>6</sup>Institute of Health and Wellbeing, College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow, UK

<sup>&</sup>lt;sup>7</sup>HealthPEER (Health Professions Education and Education Research), Faculty of Medicine, Nursing and Health Sciences, Monash University, Melbourne, Australia

#### **INTRODUCTION**

#### Medical education research priorities

In 2014, Dennis *et al.*[1] conducted a national survey in order to explore the priorities for medical education research in Scotland as perceived by a variety of stakeholders. The priority setting exercise identified twenty-one priority areas for Scottish medical education research, falling into five broad research themes: (1) The culture of learning together in the workplace; (2) Enhancing and valuing the role of educators; (3) Curriculum integration and innovation; (4) Bridging the gap between assessment and feedback; (5) Building a resilient workforce. These themes and their underlying priority areas can be linked to current medical education drivers in the United Kingdom (e.g. *Tomorrow's Doctors*,[2] the *Shape of Training* review,[3] and *Promoting Excellence: standards for medical education and training*[4]). The reasons given by participants for prioritising items included patient safety, quality of care, investing in the future, policy/political agendas, and evidence-based education.[1]

The top priority area rated by stakeholders was 'Understanding how to balance service and training conflicts', concerning 'the pressures that exist or are perceived to exist between the delivery of service to patients and the provision of training.'[1] However, a preliminary scoping exercise to identify literature reviews relevant to the priority areas revealed the least activity in this area. Figure 1 shows the wide variation in literature review activity across the different priority areas. It was therefore decided to proceed with a literature review for the top-rated priority area.

Figure 1 here

#### Challenges of evaluating complex interventions in the workplace

The balance of service delivery and education operates within a complex environment. It is present in a variety of care contexts, it involves different stakeholders (e.g. members of multidisciplinary teams, patients, managers etc.), and the dynamic of the balance will vary between sites (e.g. different models of care in different regions) and at different times of the day, week, and year, depending on demand.[5] Interventions such as protected study time are dependent both on these variations and on the ways in which such interventions are implemented.[6] The factors affecting this balance are similarly complex and dynamic, although many of the factors themselves (such as workplace learning culture and capacity/capability) appear to be common across healthcare settings.[1,5]

Narrative reviews summarise a range of material in order to construct holistic conclusions informed by a combination of the research team's own experience and drawing on existing theories.[7] Robustly conducted narrative reviews can be useful depending on their intended purposes, but they are commonly criticised from a positivist perspective as being vulnerable to bias.[8-10] Systematic reviews involve "empirical evidence that fits prespecified eligibility criteria in order to answer a specific research question".[11] They can be useful for assessing simple interventions, employing robust and replicable methods, and providing a comprehensive review of available peer-reviewed literature.[9,12,13] By focussing only on peer-reviewed literature, however, we risk missing out on potentially valuable information collected by other means such as grey literature (i.e. that which lies

2 3

4

5

6

7 8 9

10

11

12

13

14

15 16

17

18

19

20

21 22

23

24 25

26

27

28 29

30

31

32

33

34 35 36

37

38

39 40

41 42 43

44

45

46

47 48 49

50

51

52

53

54 55

56

57

58 59 60

 Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

environment; (5) clinical placement; (6) supervised learning events; (7) bedside teaching encounters; (8) continuing professional development; (9) barriers/facilitators to learning; (10) interprofessional/multiprofessional learning; (11) capacity and capability; (12) workforce planning; (13) cost effectiveness; (14) organisational need; (15) context-sensitive learning. A number of possible programme theories were considered when developing the protocol, and it was decided that it would be better to start reviewing the identified literature before developing specific candidate theories for testing.

**2** – Search for empirical evidence concerning these interventions, theories and outcomes. Note that evidence may be supportive, contradictory, or may act to modify the theories identified in stage 1. It is anticipated that the search strategy will involve: (1) Searching for peer-reviewed literature using electronic databases; (2) Snowballing and citation tracking; (3) Grey literature searching. See Box 1 for a summary of the types of literature and sources to be searched.

Type of literature	Sources
Journal articles	Searching databases ERIC, Scopus, CINAHL, Web of Science, and
	PsychInfo; checking the reference lists of included papers and
	contacting authors where appropriate.
Grey literature	Publications from the General Medical Council, Health and Care
	Professions Council, Nursing and Midwifery Council etc.
UK websites	e.g. NHS Education for Scotland, Health Education England,
	Royal Colleges of Physicians/Nursing/Midwifery etc.

Box 1. Summary of types of literature and sources to be searched

Terminology will initially be refined using Medical Subject Headings (MeSH) to ensure a systematic and comprehensive search of the literature. The authors have elected to start with Medline and to use the list of search terms arising from the initial scoping exercise in order to elicit the MeSH terms that will be used. A similar strategy will be employed for CINAHL, which uses a similar control language but with a different set of descriptors. The resulting list of search terms will then be used for those databases requiring a free text approach, such as Scopus and Web of Science. Box 2 summarises the type and detail of inclusion criteria to be used, which are explained in more detail below.

Туре	Criterion
Topic	Literature should relate directly to one or more of the research
	questions (see earlier).
Recency	Literature published from 1998 onwards (see also Box 3).
Geographic spread	Literature should relate to studies carried out in the United
	Kingdom.

Box 2. Inclusion criteria

Since all of the papers identified during the scoping exercise employed a UK-wide focus, and since many of the factors considered to influence the balance of service and education are common to all regions of the UK, the proposed review will be UK-wide. Whilst the findings may have relevance to other national health systems, studies involving them will be excluded from this review as different health systems may be influenced by different

contextual factors such as healthcare funding and educational pathways. This is not to say that mechanisms identified in other countries would not be helpful to those in the UK healthcare workplace however; they may indeed be transferable in this context.

Postgraduate education tends to be workplace-based and often involves interprofessional learning; therefore the proposed review will include multidisciplinary teams as well as individual learning, rather than being limited to doctors only, particularly since we are seeking to understand in which circumstances (i.e. for which 'populations') mechanisms are effective.[19-23] These populations include students (i.e. those who have not yet gained their initial qualification but who undergo some of their training as part of a team in the healthcare workplace) and trainees (i.e. individuals post-qualification but not yet at the end of their training). See Box 3 for a brief timeline of relevant NHS milestones, which allowed us to choose an appropriate timescale for the literature search.

1990	NHS & Community Care Act – health authorities manage own budgets
1991	NHS Trusts established following NHS Community Care Act[24]
1997	Scottish white paper: Designed to Care – 47 Trusts become 28; integration
	of services; managed clinical networks[25]
1998	European Working Time Directive (EWTD) introduced for all except junior
	doctors[26]
1999	NHS Scotland control handed over to Scottish Government
2002	NHS Education for Scotland established
2004	EWTD extended to cover junior doctors
	Abolition of NHS Trusts by NHS Reform (Scotland) Act[27]
2008	Lord Darzi report: Our NHS, Our Future[28]
2009	GMC report: Tomorrow's Doctors[2]
2012	2020 Vision and Strategic Narrative[29]
2013	Greenaway report: Shape of Training[3]

Box 3. Timeline of relevant NHS milestones informing the literature search timeframe

Since 'time' was the most frequently cited influencing factor in the twenty-five studies found in the scoping exercise, it is proposed that the literature search be conducted from 1998, the introduction of the European Working Time Directive.

#### 3 – Assess quality of studies

Literature will be assessed for relevance and rigour according to RAMESES publication standards [14].

Relevance – papers will be screened first for relevance, i.e. those which "provide data that inform programme theory development and refinement".[14,30] Initial assessment of relevance will be carried out by reviewing abstracts using preliminary inclusion criteria. Any ambiguities at this stage will be checked by an additional researcher. Depending on the quantity of studies found, it is likely that a two-stage review process will be carried out; firstly to identify the main interventions that are relevant, and then to prioritise one or two interventions which will be the focus of the main study. Double-checking will be carried out and discussed for 10-25% of the citations, along with a number of papers previously excluded (for quality control purposes).[30]

2 3

4

5

6

7

8 9

10

11 12

13 14

15 16

17

18

19

20

21 22

23

24

25 26

27

28 29

30

31

32

33

34

35 36

37

46 47 48

49

50

51

52 53

54 55 56

57

58 59 60

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

Rigour - assessment of rigour will follow the same process, this time employing a review of the whole paper, to determine "whether the methods used to generate the relevant data are credible and trustworthy".[30] Any differences will be resolved between the two analysts through negotiation and if this is not possible, then a third analyst will be brought in to adjudicate. The application of inclusion/exclusion criteria will be an iterative process, as will be the testing and refinement of programme theories that are generated during this stage. Figure 2 shows a summary of the searching and selection process. Figure 2 here

#### 4 - Extract and analyse data

Realist review data is characterised by annotation rather than list extraction,[14,30] and a thematic approach will be adopted here. The process of analysis will pursue the following iterative progression: (1) Reading a sample of the data to identify codes for contexts, mechanisms and outcomes; (2) Developing a coding framework including descriptive elements and more analytic C-M-O configurations; (3) Applying the coding framework to the rest of the data; and (4) Interrogating the codes using ATLAS.ti software in order to look for patterns and organise codes. Discussion of the data between researchers allows continuation of the testing and refinement of programme theories at this stage.

#### **5** – Synthesise data and draw conclusions

The purpose of the realist review should drive the process of synthesis.[15] Relevant annotated evidence will be used to test each aspect of the programme theory (or theories). The process of synthesis will include the following considerations:[30] (1) Reconciling and consolidating contradictory evidence - evidence which does not support a theory can enable useful insights about its implementation;[14] (2) Consideration of the relative methodological strengths/weaknesses of evidence; (3) Findings of one study that may allow insights into another; (4) Maintenance of the context of evidence sources when drawing conclusions and presenting findings. See Box 4 for an understanding of how internal and external validity will be addressed.

Construct validity	- by using multiple sources of evidence (data triangulation)
Internal validity	- by pattern matching (relating several different pieces of
	information from the study to a theoretical concept)
<b>External validity</b>	- by employing theory in the study design and by testing
	empirical evidence against programme theory

Box 4. How internal and external validity will be addressed

The research team is multidisciplinary in background, including clinically-qualified individuals, social scientists, healthcare education researchers and managers. We anticipate that this broad range of experience will lend itself to a more comprehensive interpretation of the data.

#### DISSEMINATION

Results will be written up according to RAMESES publication standards[14] and disseminated via the Scottish Medical Education Research Consortium

(<a href="http://www.smerc.org.uk">http://www.smerc.org.uk</a>) at conferences and in peer-reviewed journals, and to NHS Education for Scotland, Health Education England (in particular Postgraduate Deans), regulatory and professional bodies etc. These findings will provide important insights into how workplace-based interventions influence the balance of service delivery and education. They will benefit multiple stakeholders involved in developing, implementing and receiving workplace-based learning interventions, and will continue to inform the medical and health professions education research agenda for the UK.

#### **REFERENCES**

- 1. Dennis AA, Cleland JA, Johnston P, et al. Exploring stakeholders' views of medical education research priorities: a national survey. *Med Educ* 2014;48:1078-1091.
- 2. General Medical Council Education Committee. *Tomorrow's doctors*. General Medical Council, 2009.
- 3. Greenaway D. *Shape of training review: securing the future of excellent patient care.* General Medical Council, 2013.
- 4. General Medical Council. *Promoting excellence: standards for medical education and training*. General Medical Council, 2015.
- 5. Cook DJ, Mulrow CD, Haynes RB. Systematic reviews: synthesis of best evidence for clinical decisions. *Ann Intern Med* 1997;126(5):376-380.
- 6. NHS Education for Scotland. *Postgraduate Medical Education: annual report 2014*. NHS Education for Scotland, 2014.
- 7. Jones, K. Mission drift in qualitative research, or moving toward a systematic review of qualitative studies, moving back to a more systematic narrative review. *Qualitative Report*, 2004;9(1):95-112.
- 8. Robert E, Ridde V, Marchal B, et al. Protocol: a realist review of user fee exemption policies for health services in Africa. *BMJ Open* 2012;2:e000706.
- 9. Pluye P, Gagnon MP, Griffiths F, et al. A scoring system for appraising mixed methods research, and concomitantly appraising qualitative, quantitative and mixed methods primary studies in Mixed Studies Reviews. *Int J Nurse Stud* 2009;46:529-546.
- 10. Bearman M, Dawson P. Qualitative synthesis and systematic review in health professions education. *Med Educ* 2013; 47(3):252-260.
- 11 Higgins JPT, Green S (eds). *Cochrane Handbook for Systematic Reviews of Interventions* Version 5.1.0 [updated March 2011]. The Cochrane Collaboration, 2011.
- 12. Greenhalgh T. How to read a paper: Papers that summarise other papers (systematic reviews and meta-analyses). *BMJ* 1997;315:672-675.
- 13. Mulrow CD, Cook DJ, Davidoff F. Systematic reviews: critical links in the great chain of evidence. *Ann Intern Med* 1997;126(5):389-390.
- 14. Greenhalgh T, Wong G, Jagosh J, et al. Protocol the RAMESES II study: developing guidance and reporting standards for realist evaluation. BMJ Open 2015;5:e008567. doi: 10.1136/bmjopen-2015-008567.
- 15. Pawson R, Greenhalgh T, Harvey G, et al. Realist review a new method of systematic review designed for complex policy interventions. *J Health Serv Res Policy* 2005;10(1)23-22.
- 16. Grol R. Changing Physicians' Competence and Performance: Finding the Balance between the Individual and the Organization. *J Contin Educ Health Prof* 2002;22:244-251.
- 17. Reid R, Scallan S, Bruce D. Cost and effectiveness of protected learning time in primary care organisations. *Educ Prim Care* 2011;22:11-13.

- 18. Schostak J, Davis M, Hanson J, et al. 'Effectiveness of Continuing Professional Development' project: a summary of findings. *Med Teach* 2010;32:596-592.
- 19. Chalmers H, Swallow VM, Miller J. Accredited work-based learning: an approach for collaboration between higher education and practice. *Nurse Educ Today* 2001;21(8):597-606.
- 20. Drey N, Gould D, Allan T. The relationship between continuing professional education and commitment to nursing. *Nurse Educ Today* 2009;29(7):740-745.
- 21. Eddy A. Work-based learning and role extension: A match made in heaven? *Radiography* 2010;16(2):95-100.
- 22. Humphris D, Hean S. Educating the future workforce: building the evidence about interprofessional learning. *J Health Serv Res Policy* 2004;9:24-27.
- 23. Spouse J. Work-based learning in health care environments. *Nurse Educ Prac* 2001;1(1):12-18.
- 24. National Health Service and Community Care Act 1990. The Stationery Office, 1990.
- 25. Department of Health. *Designed to Care: reviewing the National Health Service in Scotland*. The Scottish Office, 1997.
- 26. The Working Time Regulations 1998 no.1833. The Stationery Office, 1998.
- 27. National Health Service Reform (Scotland) Act 2004. The Stationery Office, 2004.
- 28. Darzi A. *Our NHS, Our Future*. NHS Interim Report, The Stationery Office, 2007.
- 29. Scottish Government. *2020 Vision and Strategic Narrative*. The Scottish Government, 2012.
- 30. Brennan N, Bryce M, Pearson M, Wong G, Cooper C, Archer J. Understanding how appraisal of doctors produces its effects: a realist review protocol. *BMJ Open* 2014;4:e005466.

#### **Author contributions:**

SS and CR were responsible for project conception. SS, RA, HA, JB, DJS, JM and CR contributed to protocol development. SS carried out the initial scoping exercise and wrote the first draft of the manuscript. RA, HA, JB, DJS, JM and CR critically reviewed and refined the manuscript. SS wrote the final draft. All authors read and approved the final manuscript.

#### **Funding statement:**

This project is funded by NHS Education for Scotland via the Scottish Medical Education Research Consortium (SMERC).

**Competing interests:** None declared.

### Unable to Convert Image

The dimensions of this image (in pixels) are too large to be converted. For this image to convert, the total number of pixels (height x width) must be less than 40,000,000 (40 megapixels).


Figure 1 – Literature reviews pertaining to each of the 21 priority areas identified in the priority-setting exercise by Dennis et al.[1] Note that some literature reviews are relevant to more than one priority area.

(a) Vertical integration of undergraduate and postgraduate curricula

## Unable to Convert Image

The dimensions of this image (in pixels) are too large to be converted. For this image to convert, the total number of pixels (height x width) must be less than 40,000,000 (40 megapixels).

Figure 2 - PRISMA diagram of the searching and selection process



# **BMJ Open**

# Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Journal:	BMJ Open
Manuscript ID	bmjopen-2016-011145.R2
Article Type:	Protocol
Date Submitted by the Author:	07-Apr-2016
Complete List of Authors:	Sholl, Sarah; University of Dundee, Centre for Medical Education; Edinburgh Napier University, School of Business Ajjawi, Rola; Deakin University, Centre for Research in Assessment and Digital Learning Allbutt, Helen; NHS Education for Scotland, Planning and Corporate Governance Butler, Jane; Health Education Kent, Surrey and Sussex Jindal-Snape, Divya; University of Dundee, School of Education and Social Work Morrison, Jill; University of Glasgow, General Practice & Primary Care Rees, Charlotte; Monash University, Faculty of Medicine, Nursing & Health Sciences
<b>Primary Subject Heading</b> :	Medical education and training
Secondary Subject Heading:	Health services research
Keywords:	MEDICAL EDUCATION & TRAINING, QUALITATIVE RESEARCH, PRIMARY CARE

SCHOLARONE™ Manuscripts Title:

Balancing student/trainee learning with the delivery of patient care in the healthcare workplace: protocol for realist synthesis

Sarah Sholl<sup>1</sup>, Rola Ajjawi<sup>2</sup>, Helen Allbutt<sup>3</sup>, Jane Butler<sup>4</sup>, Divya Jindal-Snape<sup>5</sup>, Jill Morrison<sup>6</sup>, Charlotte Rees<sup>7</sup>

#### **Corresponding Author:**

Dr Sarah Sholl
Centre for Medical Education
University of Dundee
Mackenzie Building
Kirsty Semple Way
Dundee
DD2 4BF

Tel: +44 (0)1382 318984 Email: s.sholl@dundee.ac.uk

#### Author affiliations:

<sup>1</sup>Centre for Medical Education, University of Dundee, Dundee, UK

BMJ Open: first published as 10.1136/bmjopen-2016-011145 on 26 April 2016. Downloaded from http://bmjopen.bmj.com/ on June 1, 2025 at Department GEZ-LTA Erasmushogeschool .

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

Word count: 2095

<sup>&</sup>lt;sup>2</sup>Centre for Research in Assessment and Digital Learning, Deakin University, Melbourne, Australia

<sup>&</sup>lt;sup>3</sup>Planning and Corporate Governance, NHS Education for Scotland, Edinburgh, UK

<sup>&</sup>lt;sup>4</sup>Health Education Kent, Surrey and Sussex, Crawley, UK

<sup>&</sup>lt;sup>5</sup>School of Education and Social Work, University of Dundee, Dundee, UK

<sup>&</sup>lt;sup>6</sup>Institute of Health and Wellbeing, College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow, UK

<sup>&</sup>lt;sup>7</sup>HealthPEER (Health Professions Education and Education Research), Faculty of Medicine, Nursing and Health Sciences, Monash University, Melbourne, Australia

#### **ABSTRACT**

#### Introduction

A national survey was recently conducted to explore medical education research priorities in Scotland. The identified themes and underlying priority areas can be linked to current medical education drivers in the United Kingdom. The top priority area rated by stakeholders was: 'Understanding how to balance service and training conflicts'. Despite its perceived importance, a preliminary scoping exercise revealed the least activity with respect to published literature reviews. This protocol has therefore been developed so as to understand how patient care, other service demands, and student/trainee learning can be simultaneously facilitated within the healthcare workplace.

The review will identify key interventions designed to balance patient care and student/trainee learning, to understand how and why such interventions produce their effects. Our research questions seek to address how identified interventions enable balanced patient care-trainee learning within the healthcare workplace, for whom, why and under what circumstances.

#### **Methods and Analysis**

Pawson's five stages for undertaking a realist review underpin this protocol. These stages may progress in a non-linear fashion due to the iterative nature of the review process. We will: (1) clarify the scope of the review, identifying relevant interventions and existing programme theories, understanding how interventions act to produce their intended outcomes; (2) search journal articles and grey literature for empirical evidence from 1998 (introduction of the European Working Time Directive) on UK multidisciplinary team working concerning these interventions, theories and outcomes, using databases such as ERIC, Scopus and CINAHL; (3) assess study quality; (4) extract data; and (5) synthesise data, drawing conclusions.

#### **Ethics and Dissemination**

Formal ethical review is not required. These findings should provide important understanding of how workplace-based interventions influence the balance of trainee learning and service provision. They should benefit various stakeholders involved in workplace-based learning interventions, and inform the medical education research agenda in the UK.

#### Strengths and limitations of this study

- Realist synthesis is well suited to evaluation of complex interventions in the healthcare workplace
- The use of grey literature enables data triangulation from multiple sources
- Multidisciplinary research team lends broad experience and more comprehensive data interpretation
- Choice of search terms may limit material included in the review
- Geographic search area limited to the UK

#### **INTRODUCTION**

#### Medical education research priorities

In 2014, Dennis *et al.*[1] conducted a national survey in order to explore the priorities for medical education research in Scotland as perceived by a variety of stakeholders. The priority setting exercise identified twenty-one priority areas for Scottish medical education research, falling into five broad research themes: (1) The culture of learning together in the workplace; (2) Enhancing and valuing the role of educators; (3) Curriculum integration and innovation; (4) Bridging the gap between assessment and feedback; (5) Building a resilient workforce. These themes and their underlying priority areas can be linked to current medical education drivers in the United Kingdom (e.g. *Tomorrow's Doctors*,[2] the *Shape of Training* review,[3] and *Promoting Excellence: standards for medical education and training*[4]). The reasons given by participants for prioritising items included patient safety, quality of care, investing in the future, policy/political agendas, and evidence-based education.[1]

The top priority area rated by stakeholders was 'Understanding how to balance service and training conflicts', concerning 'the pressures that exist or are perceived to exist between the delivery of service to patients and the provision of training.'[1] However, a preliminary scoping exercise to identify literature reviews relevant to the priority areas revealed the least activity in this area. Figure 1 shows the wide variation in literature review activity across the different priority areas. It was therefore decided to proceed with a literature review for the top-rated priority area.

Figure 1 here

#### Challenges of evaluating complex interventions in the workplace

The balance of service delivery and education operates within a complex environment. It is present in a variety of care contexts, it involves different stakeholders (e.g. members of multidisciplinary teams, patients, managers etc.), and the dynamic of the balance will vary between sites (e.g. different models of care in different regions) and at different times of the day, week, and year, depending on demand.[5] Interventions such as protected study time are dependent both on these variations and on the ways in which such interventions are implemented.[6] The factors affecting this balance are similarly complex and dynamic, although many of the factors themselves (such as workplace learning culture and capacity/capability) appear to be common across healthcare settings.[1,5]

Narrative reviews summarise a range of material in order to construct holistic conclusions informed by a combination of the research team's own experience and drawing on existing theories.[7] Robustly conducted narrative reviews can be useful depending on their intended purposes, but they are commonly criticised from a positivist perspective as being vulnerable to bias.[8-10] Systematic reviews involve "empirical evidence that fits prespecified eligibility criteria in order to answer a specific research question".[11] They can be useful for assessing simple interventions, employing robust and replicable methods, and providing a comprehensive review of available peer-reviewed literature.[9,12,13] By focussing only on peer-reviewed literature, however, we risk missing out on potentially valuable information collected by other means such as grey literature (i.e. that which lies

2 3

4

5

6

7 8 9

10

11

12

13

14

15 16

17

18

19

20

21 22

23

24 25

26

27

28 29

30

31

32

33

34 35 36

37

38

39 40

41 42 43

44

45

46

47 48 49

50

51

52

53

54 55

56

57

58 59 60

environment; (5) clinical placement; (6) supervised learning events; (7) bedside teaching encounters; (8) continuing professional development; (9) barriers/facilitators to learning; (10) interprofessional/multiprofessional learning; (11) capacity and capability; (12) workforce planning; (13) cost effectiveness; (14) organisational need; (15) context-sensitive learning.

A number of possible programme theories were considered when developing the protocol, and based on the scoping exercise a speculative candidate theory was identified as follows: protected learning time can be an effective intervention for postgraduate medical trainee in the primary care setting in the quest to balance the requirements of service delivery and of training depending on logistical pressures, learner motivation and attitude and the social environment. The mechanism is possibly due to access to education and perceived valuing/leadership.

**2** – Search for empirical evidence concerning these interventions, theories and outcomes. Note that evidence may be supportive, contradictory, or may act to modify the theories identified in stage 1. It is anticipated that the search strategy will involve: (1) Searching for peer-reviewed literature using electronic databases; (2) Snowballing and citation tracking; (3) Grey literature searching. See Box 1 for a summary of the types of literature and sources to be searched.

Type of literature	Sources
Journal articles	Searching databases ERIC, Scopus, CINAHL, Web of Science, and
	PsychInfo; checking the reference lists of included papers and
	contacting authors where appropriate.
Grey literature	Publications from the General Medical Council, Health and Care
	Professions Council, Nursing and Midwifery Council etc.
UK websites	e.g. NHS Education for Scotland, Health Education England,
	Royal Colleges of Physicians/Nursing/Midwifery etc.

Box 1. Summary of types of literature and sources to be searched

Terminology will initially be refined using Medical Subject Headings (MeSH) to ensure a systematic and comprehensive search of the literature. The authors have elected to start with Medline and to use the list of search terms arising from the initial scoping exercise in order to elicit the MeSH terms that will be used. A similar strategy will be employed for CINAHL, which uses a similar control language but with a different set of descriptors. The resulting list of search terms will then be used for those databases requiring a free text approach, such as Scopus and Web of Science. Box 2 summarises the type and detail of inclusion criteria to be used, which are explained in more detail below.

Туре	Criterion
Topic	Literature should relate directly to one or more of the research
	questions (see earlier).
Recency	Literature published from 1998 onwards (see also Box 3).
Geographic spread	Literature should relate to studies carried out in the United Kingdom.
	Kiliguotti.

Box 2. Inclusion criteria

Since all of the papers identified during the scoping exercise employed a UK-wide focus, and since many of the factors considered to influence the balance of service and education are common to all regions of the UK, the proposed review will be UK-wide. Whilst the findings may have relevance to other national health systems, studies involving them will be excluded from this review as different health systems may be influenced by different contextual factors such as healthcare funding and educational pathways. This is not to say that mechanisms identified in other countries would not be helpful to those in the UK healthcare workplace however; they may indeed be transferable in this context.

Postgraduate education tends to be workplace-based and often involves interprofessional learning; therefore the proposed review will include multidisciplinary teams as well as individual learning, rather than being limited to doctors only, particularly since we are seeking to understand in which circumstances (i.e. for which 'populations') mechanisms are effective.[19-23] These populations include students (i.e. those who have not yet gained their initial qualification but who undergo some of their training as part of a team in the healthcare workplace) and trainees (i.e. individuals post-qualification but not yet at the end of their training). See Box 3 for a brief timeline of relevant NHS milestones, which allowed us to choose an appropriate timescale for the literature search.

1990	NHS & Community Care Act – health authorities manage own budgets
1991	NHS Trusts established following NHS Community Care Act[24]
1997	Scottish white paper: Designed to Care – 47 Trusts become 28; integration
	of services; managed clinical networks[25]
1998	European Working Time Directive (EWTD) introduced for all except junior
	doctors[26]
1999	NHS Scotland control handed over to Scottish Government
2002	NHS Education for Scotland established
2004	EWTD extended to cover junior doctors
	Abolition of NHS Trusts by NHS Reform (Scotland) Act[27]
2008	Lord Darzi report: Our NHS, Our Future[28]
2009	GMC report: Tomorrow's Doctors[2]
2012	2020 Vision and Strategic Narrative[29]
2013	Greenaway report: Shape of Training[3]

Box 3. Timeline of relevant NHS milestones informing the literature search timeframe

Since 'time' was the most frequently cited influencing factor in the twenty-five studies found in the scoping exercise, it is proposed that the literature search be conducted from 1998, the introduction of the European Working Time Directive.

#### 3 – Assess quality of studies

 Literature will be assessed for relevance and rigour according to RAMESES publication standards [14].

Relevance – papers will be screened first for relevance, i.e. those which "provide data that inform programme theory development and refinement".[14,30] Initial assessment of relevance will be carried out by reviewing abstracts using preliminary inclusion criteria. Any ambiguities at this stage will be checked by an additional researcher. Depending on the quantity of studies found, it is likely that a two-stage review process will be carried out;

 Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

firstly to identify the main interventions that are relevant, and then to prioritise one or two interventions which will be the focus of the main study. Double-checking will be carried out and discussed for 10-25% of the citations, along with a number of papers previously excluded (for quality control purposes).[30]

Rigour - assessment of rigour will follow the same process, this time employing a review of the whole paper, to determine "whether the methods used to generate the relevant data are credible and trustworthy".[30] Any differences will be resolved between the two analysts through discussion and if this is not possible, then a third analyst will be brought in to adjudicate. The application of inclusion/exclusion criteria will be an iterative process, as will be the testing and refinement of programme theories that are generated during this stage. Figure 2 shows a summary of the searching and selection process.

#### Figure 2 here

#### 4 - Extract and analyse data

Realist review data is characterised by annotation rather than list extraction,[14,30] and a thematic approach will be adopted here. The process of analysis will pursue the following iterative progression: (1) Reading a sample of the data to identify codes for contexts, mechanisms and outcomes; (2) Developing a coding framework including descriptive elements and more analytic C-M-O configurations; (3) Applying the coding framework to the rest of the data; and (4) Interrogating the codes using ATLAS.ti software in order to look for patterns and organise codes. Discussion of the data between researchers allows continuation of the testing and refinement of programme theories at this stage.

#### – Synthesise data and draw conclusions

The purpose of the realist review should drive the process of synthesis.[15] Relevant annotated evidence will be used to test each aspect of the programme theory (or theories). The process of synthesis will include the following considerations:[30] (1) Reconciling and consolidating contradictory evidence — evidence which does not support a theory can enable useful insights about its implementation;[14] (2) Consideration of the relative methodological strengths/weaknesses of evidence; (3) Findings of one study that may allow insights into another; (4) Maintenance of the context of evidence sources when drawing conclusions and presenting findings. See Box 4 for an understanding of how internal and external validity will be addressed.

Construct validity	- by using multiple sources of evidence (data triangulation)
Internal validity	- by pattern matching (relating several different pieces of
	information from the study to a theoretical concept)
External validity	- by employing theory in the study design and by testing
	empirical evidence against programme theory

Box 4. How internal and external validity will be addressed

The research team is multidisciplinary in background, including clinically-qualified individuals, social scientists, healthcare education researchers and managers. We anticipate that this broad range of experience will lend itself to a more comprehensive interpretation of the data.

Results will be written up according to RAMESES publication standards[14] and Scottish disseminated via the Medical Education Research Consortium (http://www.smerc.org.uk) at conferences and in peer-reviewed journals, and to NHS Education for Scotland, Health Education England (in particular Postgraduate Deans), regulatory and professional bodies etc. These findings will provide important insights into how workplace-based interventions influence the balance of service delivery and education. They will benefit multiple stakeholders involved in developing, implementing and receiving workplace-based learning interventions, and will continue to inform the medical and health professions education research agenda for the UK.

#### **REFERENCES**

- 1. Dennis AA, Cleland JA, Johnston P, et al. Exploring stakeholders' views of medical education research priorities: a national survey. *Med Educ* 2014;48:1078-1091.
- 2. General Medical Council Education Committee. *Tomorrow's doctors*. General Medical Council, 2009.
- 3. Greenaway D. *Shape of training review: securing the future of excellent patient care.* General Medical Council, 2013.
- 4. General Medical Council. *Promoting excellence: standards for medical education and training*. General Medical Council, 2015.
- 5. Cook DJ, Mulrow CD, Haynes RB. Systematic reviews: synthesis of best evidence for clinical decisions. *Ann Intern Med* 1997;126(5):376-380.
- 6. NHS Education for Scotland. *Postgraduate Medical Education: annual report 2014*. NHS Education for Scotland, 2014.
- 7. Jones, K. Mission drift in qualitative research, or moving toward a systematic review of qualitative studies, moving back to a more systematic narrative review. *Qualitative Report*, 2004;9(1):95-112.
- 8. Robert E, Ridde V, Marchal B, et al. Protocol: a realist review of user fee exemption policies for health services in Africa. *BMJ Open* 2012;2:e000706.
- 9. Pluye P, Gagnon MP, Griffiths F, et al. A scoring system for appraising mixed methods research, and concomitantly appraising qualitative, quantitative and mixed methods primary studies in Mixed Studies Reviews. *Int J Nurse Stud* 2009;46:529-546.
- 10. Bearman M, Dawson P. Qualitative synthesis and systematic review in health professions education. *Med Educ* 2013; 47(3):252-260.
- 11 Higgins JPT, Green S (eds). *Cochrane Handbook for Systematic Reviews of Interventions* Version 5.1.0 [updated March 2011]. The Cochrane Collaboration, 2011.
- 12. Greenhalgh T. How to read a paper: Papers that summarise other papers (systematic reviews and meta-analyses). *BMJ* 1997;315:672-675.
- 13. Mulrow CD, Cook DJ, Davidoff F. Systematic reviews: critical links in the great chain of evidence. *Ann Intern Med* 1997;126(5):389-390.
- 14. Greenhalgh T, Wong G, Jagosh J, et al. Protocol the RAMESES II study: developing guidance and reporting standards for realist evaluation. BMJ Open 2015;5:e008567. doi: 10.1136/bmjopen-2015-008567.

Protected by copyright, including for uses related to text and data mining, Al training, and similar technologies

- 15. Pawson R, Greenhalgh T, Harvey G, et al. Realist review a new method of systematic review designed for complex policy interventions. *J Health Serv Res Policy* 2005;10(1)23-22.
- 16. Grol R. Changing Physicians' Competence and Performance: Finding the Balance between the Individual and the Organization. *J Contin Educ Health Prof* 2002;22:244-251.
- 17. Reid R, Scallan S, Bruce D. Cost and effectiveness of protected learning time in primary care organisations. *Educ Prim Care* 2011;22:11-13.
- 18. Schostak J, Davis M, Hanson J, et al. 'Effectiveness of Continuing Professional Development' project: a summary of findings. *Med Teach* 2010;32:596-592.
- 19. Chalmers H, Swallow VM, Miller J. Accredited work-based learning: an approach for collaboration between higher education and practice. *Nurse Educ Today* 2001;21(8):597-606.
- 20. Drey N, Gould D, Allan T. The relationship between continuing professional education and commitment to nursing. *Nurse Educ Today* 2009;29(7):740-745.
- 21. Eddy A. Work-based learning and role extension: A match made in heaven? *Radiography* 2010;16(2):95-100.
- 22. Humphris D, Hean S. Educating the future workforce: building the evidence about interprofessional learning. *J Health Serv Res Policy* 2004;9:24-27.
- 23. Spouse J. Work-based learning in health care environments. *Nurse Educ Prac* 2001;1(1):12-18.
- 24. National Health Service and Community Care Act 1990. The Stationery Office, 1990.
- 25. Department of Health. *Designed to Care: reviewing the National Health Service in Scotland*. The Scottish Office, 1997.
- 26. The Working Time Regulations 1998 no.1833. The Stationery Office, 1998.
- 27. National Health Service Reform (Scotland) Act 2004. The Stationery Office, 2004.
- 28. Darzi A. Our NHS, Our Future. NHS Interim Report, The Stationery Office, 2007.
- 29. Scottish Government. *2020 Vision and Strategic Narrative*. The Scottish Government, 2012.
- 30. Brennan N, Bryce M, Pearson M, Wong G, Cooper C, Archer J. Understanding how appraisal of doctors produces its effects: a realist review protocol. *BMJ Open* 2014;4:e005466.

#### **Author contributions:**

SS and CR were responsible for project conception. SS, RA, HA, JB, DJS, JM and CR contributed to protocol development. SS carried out the initial scoping exercise and wrote the first draft of the manuscript. RA, HA, JB, DJS, JM and CR critically reviewed and refined the manuscript. SS wrote the final draft. All authors read and approved the final manuscript.

#### **Funding statement:**

This project is funded by NHS Education for Scotland via the Scottish Medical Education Research Consortium (SMERC).

**Competing interests:** None declared.

### Unable to Convert Image

The dimensions of this image (in pixels) are too large to be converted. For this image to convert, the total number of pixels (height x width) must be less than 40,000,000 (40 megapixels).

Figure 1 – Literature reviews pertaining to each of the 21 priority areas identified in the priority-setting exercise by Dennis et al.[1] Note that some literature reviews are relevant to more than one priority area.

(a) Vertical integration of undergraduate and postgraduate curricula

## Unable to Convert Image

The dimensions of this image (in pixels) are too large to be converted. For this image to convert, the total number of pixels (height x width) must be less than 40,000,000 (40 megapixels).

Figure 2 - PRISMA diagram of the searching and selection process

